


Test Email Templates

Related Pages:

- [Email Templates](#)
- [Notification Actions](#)
- [Roles and Permissions](#)
- [Predefined Templating Variables](#)



This page provides instructions on testing email templates in AppDynamics.

After you save the email template, you can test the template by sending an email.

1. In the **Create Email Template** dialog box, click **Test**.
The **Email Template Test** dialog box is displayed.
2. In the **Email Template Test** dialog box, specify the test variables to use for the test. These variables may be different from those that will be used in the real emails that are sent automatically.
3. Set the log level or the amount of detail that you want to see: INFO, WARN, ERROR, TRACE, and DEBUG. The log level defaults to DEBUG, but you can change this using the dropdown Log Level list.
4. Specify the type of events that trigger the email action along with the count. You can add more triggers if required.
5. Click **Save**.

Email Template Test ✕

Email Template test1

Log Level DEBUG ▼

Recipients

To + Add

- foo@gmail.com

Cc + Add

Bcc + Add

Event Type Trigger ⓘ

Event	Count
Health Rule Violation Started - Warning ▼	1 ⬆ ⬇ ⬆ -
Health Rule Violation Started - Critical ▼	1 ⬆ ⬇ ⬆ -
+ Add Event Type	

Cancel
Save
Run Test

Run Test

When you run the test, an email is sent when the action is triggered. You also receive a transcript of the test.

If the results are not what you expect, you may need to modify the email template, the event triggers, or both, before you use the template in an action.